Description of 物	Residential Pro 業的描述	operty	Saleable Area (including balcony, utility				Area of				in the Saleable z 實用面積) 平方		sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	platform and verandah, s if any) g用面積 (包括露台,工作平台及 陽台(如有))	q. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				48.640	(524)										
		A	露台 Balcony:	=1	-	-	-	-	22.165 (239)	-	-	-	-	-	-
			工作平台 Utility Platform:	-1	-										
		В		46.469	(500)										
			露台 Balcony:	===	-	-	-	-	22.195 (239)	-	-	1	-	-	-
		工作平台 Utility Platform:	<u></u>	-											
			33.174	(357)											
		С	露台 Balcony:			-	-	-	22.139 (238)	-	-	U=	-	-	
Tower 3(3A)	6/F		工作平台 Utility Platform:	H	-										
第3座(3A)	6樓			53.737	(578)										
		D	露台 Balcony:	-1	-	-	-	-	45.864 (494)	-	-	-	-	-	
			工作平台 Utility Platform:	=1	-										
				43.963	(473)										
	I	E	露台 Balcony:	-	-	-	-	-	5.371 (58)	-	-	-	-	-	-
			工作平台 Utility Platform:	=	-										
				41.424	(446)										
		F	露台 Balcony:	-	-	-	-	-	20.304 (219)	-	-	1-	-	-	-
			工作平台 Utility Platform:		-										

- 1. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四拾五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

	f Residential Pro 業的描述	perty	Saleable Area (including balcony, utility				Area of o				in the Saleable A 實用面積) 平方:		sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	platform and verandah, if any) 實用面積 (包括露台,工作平台及 陽台(如有))	sq. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				50.640	(545)										
		A	露台 Balcony:	2.000	(22)	-	-	-	in.	-0	-		-	-	-
			工作平台 Utility Platform:	-	-										
				48.469	(522)										
		В	露台 Balcony:	2.000	(22)	-	-	-	1-		-	1-	-	-	-0
			工作平台 Utility Platform:	= 1	1=										
	7/F-12/F, 15/F,			35.310	(380)										
	17/F-23/F,	С	露台 Balcony:	2.000	(22)	-	-	-	1-	-1	-	1-	-	-	-8
Tower 3(3A)	25/F-26/F		工作平台 Utility Platform:		1-										
第3座(3A)	7樓至12樓, 15樓,		200 × 2000 4	55.601	(598)										
	17樓至23樓,	D	露台 Balcony:	2.001	(22)	-	-	1-	1-	-	-	-	-	-	-8
	25樓至26樓		工作平台 Utility Platform:	-	-										
				45.963	(495)										
		E	露台 Balcony:	2.000	(22)	-	-	-	12	-	-	=	-	-	-
			工作平台 Utility Platform:		0-										
				43.424	(467)										
		F	露台 Balcony:	2.000	(22)	-	-	-	-	=1	-	-	-	-	-
			工作平台 Utility Platform:	-	-										

- The above areas have been converted to square feet based on a conversion rate of 1 square metre-10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 1. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四捨五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

	f Residential Pro 業的描述	perty	Saleable Area (including balcony, utility				Area of				in the Saleable / 實用面積) 平方		sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	platform and verandah, if any) 實用面積 (包括露台,工作平台及 陽台(如有))	平万木	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				50.640	(545)										
		A	露台 Balcony:	2.000	(22)	-	-	-	0-	-	-	i=	-		-0
			工作平台 Utility Platform:	-	-										
	27/F-33/F, C			48.451	(522)										
		В	露台 Balcony:		(22)	-	-	-	>-	-	-	:-	-	-	-1
			工作平台 Utility Platform:	-	-										
				35.329	(380)										
	35/F-42/F,	С	露台 Balcony:		(22)	-	-	-	-	-	-	-	-	-	-
Tower 3(3A)	45/F-47/F		工作平台 Utility Platform:	-	-										
第3座(3A)	27樓至33樓,			55.601	(598)										
	35樓至42樓, 45樓至47樓	D	露台 Balcony:	2.001	(22)	-	-	-	-	-	-	1=	-	-	
	10001110		工作平台 Utility Platform:		-										
				45.963	(495)										
		E	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	12	-	-	-
			工作平台 Utility Platform:	-	-										
				43.424	(467)										
		F	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-	-	-	-
			工作平台 Utility Platform:	-0	-										

- 1. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四捨五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

Description of 物	Residential Pro 業的描述	perty	Saleable Area (including balcony, utility				Area of				in the Saleable / 實用面積) 平方		sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	platform and verandah, if any) 實用面積 (包括露台,工作平台及 陽台(如有))	sq. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				50.640	(545)										
		A	露台 Balcony:		(22)	-	-	-	-	-	-	-	-0	-0	
			工作平台 Utility Platform:	-	-										
				48.414	(521)										
		В	露台 Balcony:		(22)	-		-	-	-	-	-		-1	1-
			工作平台 Utility Platform:	-	-										
	48/F-53/F,	E 52/E		35.365	(381)										
	55/F-63/F,	С	露台 Balcony:		(22)	-	-	-	-	-	-	-	-		-
Tower 3(3A)	65/F-66/F		工作平台 Utility Platform:	-	-										
第3座(3A)	48樓至53樓, 55樓至63樓,			55.601	(598)										
	65樓至66樓	D	露台 Balcony:		(22)	-	-	-	-	-	-	-	-	-	-
	33222		工作平台 Utility Platform:	-	-										
				45.963	(495)										
	I	E	露台 Balcony:		(22)	-	-	-	-	-	-	-	_		~
			工作平台 Utility Platform:	-	-										
				43.424	(467)										
		F	露台 Balcony:		(22)	-	-	-	-	-	-	-		-	-
			工作平台 Utility Platform:	1-	-										

- The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四捨五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

Description of 物	Residential Pre 業的描述	operty	Saleable Area (including balcony, utility				Area of o				in the Saleable A 實用面積) 平方		(sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	platform and verandah, sif any) 實用面積 (包括露台,工作平台及 陽台(如有))	eq. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				50.640	(545)										
		A	露台 Balcony:	2.000	(22)	-	-	:-		-0	-	-		-	-
			工作平台 Utility Platform:	Ξ	-										
				48.414	(521)										
		В		2.000	(22)	-	-	-	1-		-	-	-	-	-0
			工作平台 Utility Platform:	===	10										
				35.365	(381)										
		С		2.000	(22)	-	-	1-	1-		-	1-	-	-	-0
Tower 3(3A)	67/F		工作平台 Utility Platform:	7-1	1-										
第3座(3A)	67樓	2027		55.601	(598)										
		D		2.001	(22)	_	-	1-	1-		-	-	-	-	-
			工作平台 Utility Platform:	-1	-										-
				45.963	(495)										
	]	E	露台 Balcony:	2.000	(22)	_	-	1-	-	-1	-	-	-	-	
			工作平台 Utility Platform:		-										
				43.019	(463)										
		F	100.00	2.000	(22)	-	-	-	-	_	-	1-	-	-	-
			工作平台 Utility Platform:	-	1-										

- 1. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四拾五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

Description of 物	Residential Pro 業的描述	operty	Saleable Area (including balcony, utility				Area of				in the Saleable / 實用面積) 平方	Area) sq. metre ( 米 (平方呎)	sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	platform and verandah, if any) 實用面積 (包括露台,工作平台及 陽台(如有))	sq. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				48.414	(521)										
		В	露台 Balcony:		(22)	-		-	-	-	-	28.056 (302)	-	-	-
			工作平台 Utility Platform:	-	-										
				35.365	(381)										
	С	C	露台 Balcony:	2.000	(22)	-	-	-	-	-		28.355 (305)		-1	-
			工作平台 Utility Platform:	-	-										
T 2(2 A)	(0/E			55.601	(598)										
Tower 3(3A) 第3座(3A)	68/F 68樓	D	露台 Balcony:	2.001	(22)	-	-	-	-	-	-	51.075 (550)	-	-	-
<b>州</b> 3注(3A)	00後		工作平台 Utility Platform:	1=	-										
				45.963	(495)										
		E	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	42.927 (462)			-
			工作平台 Utility Platform:	-	-										
				43.019	(463)										
		F	露台 Balcony:	2.000	(22)	_	-	-	~	-	_	30.055 (324)	-		-
			工作平台 Utility Platform:	-	-										

- The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四捨五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

Description of 物	Residential Pro 業的描述	operty	Saleable Area (including balcony, utility			Area of				in the Saleable z 實用面積) 平方		(sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	(Including balcony, utility platform and verandah, sq. m if any) 平文實用面積 (包括露台,工作平台及 陽台(如有))	etre (sq. ft.) f米 (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
			69.1	49 (744)										
		A	露台 Balcony:	;=	-	-	-	18.542 (200)	-	-	2-	-	-	-
			工作平台 Utility Platform:											
			32.3	51 (348)										
		В	露台 Balcony:	1-	-	-	1-	22.909 (247)		-		-	-	-0
			工作平台 Utility Platform:											
			40.5	(436)										
		С	露台 Balcony:	i i-	-	-	1-	24.633 (265)		-	1-		-	-0
Tower 3(3B)	6/F		工作平台 Utility Platform:											
第3座(3B)	6樓		47.0	578 (513)										
		D	露台 Balcony:	1-	-	-	1-	18.395 (198)		-	1-	-	-	-
			工作平台 Utility Platform:											
			33.4	(360)										
		E	露台 Balcony:	-	-	-	-	5.705 (61)		-	-	-	-	
			工作平台 Utility Platform:											
			33.0	(356)										
		F	露台 Balcony:	-	-	-	-	20.461 (220)	-	-	1-	-	-	-
			工作平台 Utility Platform:	: :=										

- 1. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四捨五入至整數。平方呎與平方米之數字可能有 些微差異。
- 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

	f Residential Pro 業的描述	perty	(in also din a b also assessed likes				Area of o				in the Saleable A 實用面積) 平方		sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	platform and verandah, if any) 實用面積 (包括露台,工作平台及 陽台(如有))	sq. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				71.569	(770)										
		A	露台 Balcony:	2.420	(26)	-	-	-	-	-	-	-	-0	-0	
			工作平台 Utility Platform:	-	-										
				34.351	(370)										
		В	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-		-1	-
		工作平台 Utility Platform:	1=	-											
		7/F-12/F, 15/F,		42.549	(458)										
	17/F-23/F,	С	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-	-		-
Tower 3(3B)	25/F-26/F		工作平台 Utility Platform:	1=	-										
第3座(3B)	7樓至12樓, 15樓,			49.678	(535)										
	17樓至23樓,	D	露台 Balcony:	2.000	(22)		-	-	-	-	-	-	-		11-
	25樓至26樓		工作平台 Utility Platform:	-	-										
				35.226	(379)										
		E	露台 Balcony:	2.000	(22)	=	_	-	-	-	=	-			-
			工作平台 Utility Platform:	1-	1-										
				35.280	(380)										
		F	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-	-		-
			工作平台 Utility Platform:	-	-										

- The above areas have been converted to square feet based on a conversion rate of 1 square metre-10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 1. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四捨五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

	f Residential Pro 業的描述	operty	(in al., din a b al a ann				Area of	-			in the Saleable A 實用面積) 平方		(sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	(leftding barcony, utility platform and verandah, if any) 實用面積 (包括露台,工作平台及 陽台(如有))	sq. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				71.569	(770)										
		A	露台 Balcony:	2.420	(26)	-	-	-	-	-	-	:=	-	-	-
			工作平台 Utility Platform:	-	-										
				34.351	(370)										
	27/F-33/F, G	В	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-	-	-	-0
			工作平台 Utility Platform:	=	-										
				42.549	(458)										
	35/F-42/F,	С	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-	-	-	-
Tower 3(3B)	45/F-47/F		工作平台 Utility Platform:	=0	-										
第3座(3B)	27樓至33樓, 35樓至42樓,			49.678	(535)										
	45樓至47樓	D	露台 Balcony:	2.000	(22)	_	-	-	1-	-	-	1-	-	-	
			工作平台 Utility Platform:		-										
				35.234	(379)										
		E	露台 Balcony:	2.000	(22)	_	-	-	-	-	-	-	-	-	-
		E	工作平台 Utility Platform:	Trans transcou	-										
				35.272	(380)										
		F	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-	-	-	_
			工作平台 Utility Platform:	-	-										

- 1. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四拾五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

	f Residential Pro 業的描述	perty	(in also din a b also ass socilitas				Area of o				in the Saleable A 實用面積) 平方	Area) sq. metre ( 米 (平方呎)	sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	platform and verandah, if any) 實用面積 (包括露台,工作平台及 陽台(如有))	sq. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				71.569	(770)										
		A	露台 Balcony:	2.420	(26)	-	-	-	-	-	-	-	-0	-0	
			工作平台 Utility Platform:	-	-										
		В		34.351	(370)										
			露台 Balcony:	2.000	(22)	-	-	-	-	-		-			1-
			工作平台 Utility Platform:	1.7											
	48/F-53/F,	32 /F		42.549	(458)										
	55/F-63/F,	С	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-	-		-
Tower 3(3B)	65/F-67/F		工作平台 Utility Platform:	1=	-										
第3座(3B)	48樓至53樓, 55樓至63樓,			49.678	(535)										
	65樓至67樓	D	露台 Balcony:	2.000	(22)	-1	-	-	-	-	-	-	-	-	-
			工作平台 Utility Platform:	-	-										
		_	=	35.250	(379)										
	Е	E	露台 Balcony:		(22)	-	-	-	-	-	-	-			-
			工作平台 Utility Platform:	- 25.255	- (2.50)										
			<b>悪人 D 1</b>	35.255	(379)										
		F	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	-	_	-	-
			工作平台 Utility Platform:	=	-										

- The above areas have been converted to square feet based on a conversion rate of 1 square metre-10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 1. 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四捨五入至整數。平方呎與平方米之數字可能有 些微差異。
- 期數住宅物業並無陽台及工作平台。
- 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。

Description of 物	Residential Pr 業的描述	operty	(:				Area of o				in the Saleable z 實用面積) 平方	Area) sq. metre ( 米(平方呎)	sq. ft.)		
Tower 座數	Floor 樓層	Unit 單位	(Including balcony, utility platform and ver, and ah, if any) 實用面積 (包括露台,工作平台及 陽台(如有))	eq. metre 平方米	(sq. ft.) (平方呎)	Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
				121.207	(1305)										
		A		4.216	(45)	-	-	-	-	-0	-	86.496 (931)	4.748 (51)	-	-
			工作平台 Utility Platform:	H	-										
				34.273	(369)										
		В		2.000	(22)	-	-	-	1-		-	24.793 (267)	-	-	-0
			工作平台 Utility Platform:	=-	1-										
				42.549	(458)										
		С	露台 Balcony:	2.000	(22)	-	-	-	1-	-	-	35.008 (377)	-	-	-
Tower 3(3B)	68/F		工作平台 Utility Platform:												
第3座(3B)	68樓			49.678	(535)							10.014 (110)			
		D	露台 Balcony:	2.000	(22)	-	-	-	-	-	-	40.846 (440)	-	-	-
			工作平台 Utility Platform:	- 25.250	(270)										
		Б		35.250	(379)							27 244 (202)			
	E	E	露台 Balcony:	2.000	(22)	-	-	-	-	_	-	27.244 (293)	_	-	
			工作平台 Utility Platform:	- 25 255	(270)										
		F		35.255	(379)							22 566 (251)			
		Г			(22)	-	-	-	-	_	-	32.566 (351)	-	-	-
		r	工作平台 Utility Platform:	-	-	_	_	_	-	_	_	32.300 (331)	_		L

- 1. The above areas have been converted to square feet based on a conversion rate of 1 square metre=10.764 square feet and rounded off to the nearest integer and may be slightly different from that shown in sq. m..
- 2. There is no verandah and utility platform in the residential properties in the Phase.
- 3. 13/F, 14/F, 24/F, 34/F, 44/F, 54/F & 64/F for all Towers are omitted.
- 4. 16/F and 43/F of all Towers are refuge floors.

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎,並四拾五入至整數。平方呎與平方米之數字可能有 些微差異。
- 2. 期數住宅物業並無陽台及工作平台。
- 3. 不設 13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 4. 16 樓及 43 樓為庇護層。